



SAFETY DATA SHEET: CORROSION BLOCK LIQUID

SECTION 1: CHEMICAL PRODUCT & COMPANY INFORMATION

APPLICABLE PART #: PC25001S, PC25003, PC2500S IDENTITY: Corrosion Block 4oz, 32oz, 0.5oz

SUPPLIER: Universal Photonics, Inc. FOR INFORMATION CALL

85 Jetson Lane CUSTOMER SERVICE: (516) 935-4000
Central Islip, NY 11722 DATE PREPARED: February 3, 2017

USE OF SUBSTANCE/PREPARATION: Corrosion Block is an industrial product designed to prevent and treat corrosion on

non-ferrous and ferrous metals, protect electronic equipment, and to

lubricate/penetrate mechanized parts.

EMERGENCY TELEPHONE NUMBER: 1.866.519.4752 3-E COMPANY - ACCT # 3665

SECTION 2: HAZARDS IDENTIFICATION

HEALTH:

ORAL-EYE-DERMAL:

Category 5

INHALATION:

Category 4

ENVIRONMENTAL:

Not Classified

OSHA DEFINED:

Not Classified





SIGNAL WORD: WARNING

H227: Combustible Liquid

P210: Keep Spray Away From Open Flame

H305: May be harmful if swallowed and enters airways

P331+P314: Do Not Induce Vomiting, Get Medical Attention if Feeling Unwell

H320: May Cause eye irritation

P305+P331+P358: If Sprayed Into Eyes Rinse with Water, Remove Contacts if Present,

Continue to Rinse with Water





Advanced Surfacing Products & Technology

SAFETY DATA SHEET: CORROSION BLOCK LIQUID

Wash thoroughly after handling. Avoid spraying in eyes or breathing PRECAUTIONARY STATEMENTS - PREVENTION:

mist/spray. Do not ingest.

PRECAUTIONARY STATEMENTS - RESPONSE

INHALATION: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Rinse eyes with water

PRECAUTIONARY STATEMENTS - STORAGE: Store in well ventilated place

PRECAUTIONARY STATEMENTS - DISPOSAL: None

HAZARDS NOT OTHERWISE CLASSIFIED (HNOC): Not Applicable

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS SUBSTANCES PRESENT ON THEIR OWN: None

SUBSTANCES PRESENT AT A CONCENTRATION BELOW THE MINIMUM DANGER THRESHOLD:

CHEMICAL NAME	CAS No	EC	WEIGHT - %
Solvent naphtha	64742-88-7	265-191-7	5%-15%
Hydrotreated neutral oil	72623-85-9	276-736-3	70%-100%

SECTION 4: FIRST AID MEASURES

EYE CONTACT:	Rinse thoroughly with plenty of water, also under the eyelids. If symptoms
	persist, call a physician.

SKIN CONTACT: Remove excess by wiping, followed by washing with soap and water.

Remove to fresh air. If not breathing, give artificial respiration. If breathing INHALATION:

is difficult, (trained personnel should give oxygen). If breathing stops apply

CPR and call physician.

Rinse mouth immediately with water. Give 1/2 pint/200ml of milk to drink. INGESTION:

> Never give anything by mouth to an unconscious person. DO NOT INDUCE VOMITING. If vomiting takes place naturally, lean victim forward to prevent aspiration into lungs. Aspiration into the lungs may cause chemical pneumonitis, which can be fatal. Physician's assessment is mandatory. Note to Physician: Consult standard literature for Hydrocarbon poison.

SECTION 5: FIRE FIGHTING MEASURES

CO₂, Dry Chemical, Foam, Water Spray SUITABLE EXTINGUISHING MEDIA:

UN-SUITABLE EXTINGUISHING MEDIA: Water Jet which might spread flames

SPECIAL HAZARDS FROM BURNING: May produce normal products of combustion including: Carbon Oxides

(CO-CO₂); Nitrogen oxides (NO₂-NO); Sulfur oxides (SO₂-SO₃).







SAFETY DATA SHEET: CORROSION BLOCK LIQUID

FIRE FIGHTING PROCEDURES: Cool containers with water spray to prevent pressure build-up, auto-

ignition or explosion. Self-Contained Breathing Apparatus (SCBA) may be

required if containers rupture under thermal conditions.

GENERAL FIRE HAZARDS: No unusual fire or explosion hazards

		ACCI			

Personal Precautions: Eliminate sources of ignition. Stop leak if you can do it without risk. Keep

unnecessary personnel away from spill slip hazard.

SMALL SPILL: Wipe up spills with absorbent cloth and clean surface with approved soap.

Large Spill: Stop or reduce flow with barricades – Absorb spills using dry clay,

commercial sorbents. Collect residue into suitable container for disposal. Material may be drained into floor drains equipped with Oil Interceptors. Never return contaminated spilled liquid to original container. See Section

13 for Disposal Considerations.

ENVIRONMENTAL PRECAUTIONS: Prevent spill from entry into waterways, sewers, basements or confined

areas.

SECTION 7: HANDLING & STORAGE

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

STORAGE: Avoid ignition sources. Do not store 70°C or 158°F. Keep containers tightly

closed, in cool and well ventilated place. Do not store long term in direct

sunlight. Keep out of the reach of children.

INCOMPATIBLE PRODUCTS: None known

SECTION 8: PERSONAL PROTECTION AND EXPOSURE CONTROLS

APPROPRIATE ENGINEERING CONTROLS

VENTILATION: Provide sufficient General or Mechanical ventilation to maintain exposure

below flammable limits.

INDIVIDUAL PROTECTION

RESPIRATORY PROTECTION: None normally needed. *Unless atomizing in enclosed space, then use

approved NIOSH organic, mist/vapor respirator. If exposure limits are exceeded or irritation, headache, nausea, or dizziness is experienced,

ventilation and evacuation may be required.

PROTECTIVE GLOVES: None normally required. Excessive contact may cause drying, chapping of

skin, may cause redness of eyes and tearing.

EYE PROTECTION: None normally required, unless operator is using high-pressure spray

equipment or splashing is likely.

OTHER PROTECTIVE CLOTHING: None normally required.





KINEMATIC VISCOSITY:

DYNAMIC VISCOSITY:

SAFETY DATA SHEET: CORROSION BLOCK LIQUID

WORK/HYGIENIC PRACTICES:	Wash hands and face with soap and water after use. Launder soiled clothing.
SECTION 9: PHYSICAL AND CHEMICAL PRO	PERTIES
PHYSICAL STATE:	Liquid
APPEARANCE:	Blue Green
ODOR:	Fresh Scent
ODOR THRESHOLD:	Not established
PH:	7
MELTING / FREEZING POINT:	No data available
BOILING POINT / BOILING RANGE:	>100C°/ 212 F°
FLASH POINT:	79.4C° /175F° PMCC
EVAPORATION RATE:	Slower (Butyl acetate=1)
FLAMMABILITY (SOLID, GAS):	No data available
FLAMMABILITY LIMIT IN AIR:	Solvent Component Only
UPPER FLAMMABILITY LIMIT:	UEL: 6.0
LOWER FLAMMABILITY LIMIT:	LEL: 1.0
VAPOR PRESSURE:	No data available
VAPOR DENSITY:	Heavier than air (Air=1)
SPECIFIC GRAVITY:	0.90
WATER SOLUBILITY:	Slight with agitation
SOLUBILITY IN OTHER SOLVENTS:	Soluble in Naphtha
PARTITION COEFFICIENT	
N-OCTANOL/WATER:	No data available
AUTO IGNITION TEMPERATURE:	>210C°/410 F°
DECOMPOSITION TEMPERATURE:	No data available

25 cSt @ 40 C°

No data available





INHALATION:

SKIN / EYES:

Advanced Surfacing Products & Technology

SAFETY DATA SHEET: CORROSION BLOCK LIQUID

90gm/l VOC CONTENT (%): SECTION 10: STABILITY & REACTIVITY STABILITY: **Stable** Avoid Oxidizing materials (Liquid or compressed oxygen, peroxides, MATERIALS TO AVOID: chlorine), strong alkalis. **DECOMPOSITION PRODUCTS:** Thermal conditions produce normal products of combustion including: Carbon Oxides (CO- CO₂), Nitrogen oxides (NO₂-NO), Sulfur oxides (SO₂-SO₃) REACTIVITY POLYMERIZATION: Will not occur **SECTION 11: TOXICOLOGICAL INFORMATION** ACF-50 has been tested (oral, eye, dermal) as a complete mixture and is considered "non-toxic" under normal use with an extremely low order of toxicity at or below a Category 5 rating. PRIMARY ROUTES OF ENTRY: ACUTE ORAL: LD50 > 5000 mg/kgLC50 > 5000 mg/kg ACUTE EYE: LD50 > 5000 mg/kg ACUTE DERMAL: LC50 > 5000 ppm -Rat-Aliphatic hydrocarbon ACUTE VAPOR: LC50 > 5000 ppm -Rat-Petroleum distillate (ESTIMATED) Non carcinogenic according to EPA, NTP, IARC, OSHA, TLV, MAK, NIOSH CARCINOGENICITY: or ACGIH definitions. Non-sensitizer SENSITIZATION: No MUTAGENIC EFFECTS: TETRA GENIC: No REPRODUCTIVE: No DEVELOPMENTAL: No DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG-TERM EXPOSURE

May cause headache, nausea, or dizziness.

May cause drying, chapping of skin and may cause redness of eyes.







MARINE POLLUTANT:

AIR TRANSPORT ICAO-TI AND IATA-DGR:

Advanced Surfacing Products & Technology

SAFETY DATA SHEET: CORROSION BLOCK LIQUID

INGESTION:	May be harmful of swallowed.
SENSITIZATION:	No information available.
MUTAGENIC EFFECTS:	No information available.
CARCINOGENICITY CONTAINS:	No ingredient listed as a carcinogen.
REPRODUCTIVE TOXICITY:	No information available.
STOT - SINGLE EXPOSURE:	No information available.
STOT - REPEATED EXPOSURE:	No information available.
CHRONIC TOXICITY:	No known effect based on information supplied
TARGET ORGAN EFFECTS:	Respiratory system. Central Vascular System (CVS).
ASPIRATION HAZARD:	No Information available
SECTION 12: ECOLOGICAL INFORMATION	
Eco Toxicity:	Environmental impact of this product has not been fully investigated.
PERSISTENCE AND DEGRADABILITY:	No information available.
BIOACCUMULATION:	No information available
OTHER ADVERSE EFFECTS:	No information available.
SECTION 13: DISPOSAL INFORMATION	
DISPOSAL METHODS:	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). Spilled liquid should be treated as contaminated oil and disposed of according to the appropriate state, regional, or local regulations.
USED PACKAGING:	Empty HDPE/LDPE containers can be recycled
CALIFORNIA HAZARDOUS WASTE CODES:	N/A
SECTION 14: TRANSPORTATION INFORMA	TION
LAND TRANSPORT ADR/RID (CROSS-BORDER)	
ADR/RIC-GGVS/E:	Not Regulated
MARITIME TRANSPORT IMDG:	Not Regulated

Non-Hazardous, Non-Regulated

Not expected to be





SAFETY DATA SHEET: CORROSION BLOCK LIQUID

SECTION 15: REGULATORY INFORMATION

This preparation was classified in compliance with GHS Directives and is not known to be classified on any EC lists or other source literature.

WHMIS: Not Controlled

U.S. FEDERAL REGULATIONS: Not Regulated

TSCA INVENTORY (USA): Reported/Included

DSL (CANADA): Reported /Included

SARA 302/355 EXTREME HAZARD: No

CERCLA: No

SARA 313 TOXIC CHEMICAL: No

SARA 311/312 HAZARDOUS: No.

PROP 65: No to All

ELINCS (EUROPE): No

ENCS (JAPAN): Yes

AICS (AUSTRALIA): Yes

SECTION 16: OTHER INFORMATION

HMIS RATING: Health 1 Flammability 2 Reactivity 0 Personal Protection B

NFPA RATING: Health 1 Flammability 2 Reactivity 0

DOT - Department of Transportation

GHS – The Globally Harmonized System of Classification and Labeling of Chemicals

HMIS - Hazardous Materials Identification System

NIOSH - National Institute for Occupational Safety and Health

NORM – Natural Occurring Radioactive Materials

IATA - International Air Transportation Association

IMO - International Maritime Organization

OSHA - Occupational Safety & Health Administration

TSCA – Toxic Substance Control Act

DISCLAIMER

WHILE UNIVERSAL PHOTONICS, INC. BELIEVES THAT THE DATA AND INFORMATION CONTAINED HEREIN ARE FACTUAL AND THE OPINIONS ARE THOSE OF QUALIFIED EXPERTS, THEY ARE NOT TO BE TAKEN AS A WARRANTY OR REPRESENTATION FOR WHICH UNIVERSAL PHOTONICS, INC. ASSUMES ANY LEGAL RESPONSIBILITY. THEY ARE OFFERED SOLEY FOR THE CONSIDERATION, INVESTIGATION AND VERIFICATION BY THE USER. IT IS THE USER'S RESPONSIBILITY TO DETERMINE THE SUITABILITY OF THIS PRODUCT, DATA AND INFORMATION WITH APPLICABLE LAWS AND REGULATIONS. corrosionblockliquid.02.17.sds

